Date

Tuesday, 8/28/2007 3:17:18 PM

Kim Johnston

Process Sheet

Customer

Job Number

: CU-DAR001 Dart Helicopters Services

: 34291

Estimate Number

: 10732

P.O. Number

: NA

: 8/28/2007 This Issue

Prsht Rev. First Issue

Previous Run

: 32278

S.O. No. : MA

Type : SMALL /MED FAB

Part Number **Drawing Number**

Drawing Name

: D23241 D2324 REV. C : N/A

Project Number **Drawing Revision**

Due Date

Material

: 9/12/2007

: STRUT ASSEMBLY

Written By

Checked & Approved By

Comment

: Est:

03.02.28 Reformat; Incorporated D2324-3 &

D2324-5 KJ/RF

Additional Product

Job Number:



Seq. #:

Machine Or Operation:

Description: STOP

1.0

34291A

Comment: Sub-Component STOP D2324-3 B 32 353

2.0

3.0

34291B

STRAP



Comment: Sub-Component STRAP

D2324-5 B 30139 AN312A

Comment: Qty.:

2.0000 Each(s)/Unit

Total:

40.0000 Each(s)

AN960JD10 4.0

Bolt



4.0000 Each(s)/Unit Total:

Comment: Qty.: Washer

105 441

80.0000 Each(s)

5.0 MS21042L3

Nut

Comment: Qty.:

2.0000 Each(s)/Unit Total: 40.0000 Each(s)

Nut

SMALL FAB 1

SMALL & MEDIUM FAB RESOURCE 1

Comment: SMALL & MEDIUM FAB RESOURCE 1

Assemble as per Dwg D2324.





07/09/24

6.0

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES								
DATE STEP		PROCEDURE CHANGE				Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
					·					
			•							
	1 1						\bigcirc			/
Part No):		_ PAR #:	Fault Category:	NO	CR: Yes	No DQ	A: <u>}</u>	Date: _	07/19/06

QA: N/C Closed: ____ Date: ____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)								
DATE		Description of NC	Corrective Action Section B			Wifidi				
	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Verification Section C	Approval Chief Eng	Approval QC Inspecto		
		-								
	1		-							
-										
				•						

NOTE: Date & initial all entries

Date: Tuesday, 8/28/2007 3:17:18 PM User: Kim Johnston **Process Sheet Drawing Name: STRUT ASSEMBLY** Customer: CU-DAR001 Dart Helicopters Services Job Number: 34291 Part Number: D23241 Job Number: Seq. #: Description: Machine Or Operation: INSPECT WORK TO CURRENT STEP 7.0 QC5 Comment: INSPECT WORK TO CURRENT STEP POWDER COATING POWDER COATING m 105068 Comment: POWDER COATING Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3 9.0 QC3 Comment: INSPECT POWDER COAT 10.0 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: QC21 11.0 Comment: FINAL INSPECTION/W/O RELEASE Job_Completion U 929.26

Dart Aerospace Ltd

W/O:		WORK ORDER CH					
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
	· · · · · · · · · · · · · · · · · · ·						
	-				·		
Part No	•	PAR #: Fault Category:	NCR: Yes	No DO	۸٠	Date:	L

QA: N/C Closed: ____ Date: _

NCR:		•	WORK ORDER NON-CONFORMANCE (NCR)							
		Description of NC	Corrective Action Section B			Marifi andian		Ι		
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Verification Section C	Approval Chief Eng	Approval QC Inspector		
			·		-					
, %										
						The state of the s				
	Ģ-									
	**									
	**									

NOTE: Date & initial all entries




DE B	SIGN WILLIAMS	DRAWN BY	DART AEROSPACE LTD VICTORIA INTERNATIONAL AIRPORT, CANADA	
CH	ECKED,	APPROVED_	DRAWING NO.	REV. C
1	#	#	D2324 SHEET 1	OF 1
DA	ΤE		TITLE	SCALE
0	4.12.14		STRUT	
F	\	94.11.08	NEW ISSUE	
E	3	96.05.07	UPDATE MATERIALS	
		04.12.14	UPDATE NOTES	

02324-5

AN3-12A BOLT (1) AN960JD10 WASHER (2) MS21042L3 NUT (1)

(TWO PLACES)


RELEASED 04.12.16



D2324-3

D2324 STRUT ASSEMBLY

1) IDENTIFY WITH DART P/N D2324 USING FINE POINT PERMANENT INK MARKER



02324 - 3

6061-T6/T651 BAR (QQ-A-200/8) 0.75-X-0.75 1) MATERIAL:

(REF DART SPEC. M6061T6B0.750X00.750)


ACID ETCH AND ALODINE PER DART QSI 005 4.1 2) FINISH:

POWDERCOAT WHITE (4.3.5.1) PER DART QSI 005 4.3

3) BREAK ALL SHARP EDGES 0.005 TO 0.015

4) ALL DIMENSIONS ARE IN INCHES

5) ALL TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED



D2324-5

AISI 304/316 STAINLESS STEEL SHEET 16 GAUGE (0.063 THICK) 1) MATERIAL: (REF DART SPEC. M304S16GA)

POWDERCOAT WHITE (4.3.5.1) PER DART QSI 005 4.3 2) FINISH:

3) BREAK ALL SHARP EDGES 0.005 TO 0.015

4) ALL DIMENSIONS ARE IN INCHES

5) ALL TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

SHOP COPY RETURN TO ENGINEERING UNCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE NO. 3752